

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**M-Print Splint**

Revision date: 18.09.2025

Product code: SplintClassic

Page 1 of 11

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

M-Print Splint

UFI: 7WX4-9T1J-MV0G-HPPQ

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

Material for the manufacture of dental medical devices.

**1.3. Details of the supplier of the safety data sheet**

|                         |                                         |                                |
|-------------------------|-----------------------------------------|--------------------------------|
| Company name:           | Merz Dental GmbH                        |                                |
| Street:                 | Kieferweg 1                             |                                |
| Place:                  | D-24321 Luetjenburg (GERMANY)           |                                |
| Telephone:              | +49-(0)4381-403-0                       | Telefax: +49-(0)4381-403-100   |
| E-mail:                 | info@merz-dental.de                     |                                |
| Contact person:         | Dipl. Chem Dr. Thomas Panther           | Telephone: +49-(0)4381-403-448 |
| E-mail:                 | Thomas.Panther@merz-dental.de           |                                |
| Internet:               | www.merz-dental.de                      |                                |
| Responsible Department: | Qualitaetssicherung (Quality Assurance) |                                |

**1.4. Emergency telephone number:** +49-(0)551-19240 (Giftinformationszentrum-Nord, Göttingen) 24h / 7d


**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

Repr. 1B; H360F  
Skin Sens. 1; H317  
Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

**2.2. Label elements****Regulation (EC) No 1272/2008****Hazard components for labelling**

Diurethane dimethacrylate, Mix of isomers (UDMA)  
2-[[[(butylamino)carbonyl]oxy]ethyl acrylate  
diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide  
propoxylated glycerol triacrylate

**Signal word:** Danger**Pictograms:****Hazard statements**

|       |                                                    |
|-------|----------------------------------------------------|
| H317  | May cause an allergic skin reaction.               |
| H360F | May damage fertility.                              |
| H412  | Harmful to aquatic life with long lasting effects. |

**Precautionary statements**

|      |                                                                                |
|------|--------------------------------------------------------------------------------|
| P202 | Do not handle until all safety precautions have been read and understood.      |
| P261 | Avoid breathing dust/fume/gas/mist/vapours/spray.                              |
| P280 | Wear protective gloves/protective clothing and eye protection/face protection. |

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**M-Print Splint**

Revision date: 18.09.2025

Product code: SplintClassic

Page 2 of 11

P362+P364 Take off contaminated clothing and wash it before reuse.  
P273 Avoid release to the environment.  
P501 Dispose of contents/container to hazardous or special waste collection point.

**Special labelling of certain mixtures**

Restricted to professional users.

**2.3. Other hazards**

No information available.

**SECTION 3: Composition/information on ingredients****3.2. Mixtures****Relevant ingredients**

| CAS No     | Chemical name                                                  |              |          | Quantity     |
|------------|----------------------------------------------------------------|--------------|----------|--------------|
|            | EC No                                                          | Index No     | REACH No |              |
|            | Classification (Regulation (EC) No 1272/2008)                  |              |          |              |
| 72869-86-4 | Diurethane dimethacrylate, Mix of isomers (UDMA)               |              |          | 50 - < 100 % |
|            | 276-957-5                                                      |              |          |              |
|            | Skin Sens. 1, Aquatic Chronic 3; H317 H412                     |              |          |              |
| 63225-53-6 | 2-[[[(butylamino)carbonyl]oxy]ethyl acrylate                   |              |          | 5 - < 50 %   |
|            | Acute Tox. 4, Skin Sens. 1A, Aquatic Chronic 2; H332 H317 H411 |              |          |              |
| 2082-81-7  | 1,4-butandiol dimethacrylate                                   |              |          | 5 - < 50 %   |
|            | 218-218-1                                                      |              |          |              |
|            | Acute Tox. 4, STOT SE 3; H302 H336                             |              |          |              |
|            | urethane acrylate in polyether polyol tetraacrylate            |              |          | 1 - < 5 %    |
|            | Skin Irrit. 2, Eye Irrit. 2, Aquatic Chronic 2; H315 H319 H411 |              |          |              |
| 75980-60-8 | diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide                |              |          | 1 - < 5 %    |
|            | 278-355-8                                                      | 015-203-00-X |          |              |
|            | Repr. 1B, Skin Sens. 1B; H360Fd H317                           |              |          |              |
| 52408-84-1 | propoxylated glycerol triacrylate                              |              |          | 0.1 - < 1 %  |
|            | Eye Irrit. 2, Skin Sens. 1; H319 H317                          |              |          |              |

Full text of H and EUH statements: see section 16.

**Specific Conc. Limits, M-factors and ATE**

| CAS No     | EC No                                                                                                                                    | Chemical name                                   | Quantity   |
|------------|------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------|------------|
|            | Specific Conc. Limits, M-factors and ATE                                                                                                 |                                                 |            |
| 63225-53-6 |                                                                                                                                          | 2-[[[(butylamino)carbonyl]oxy]ethyl acrylate    | 5 - < 50 % |
|            | inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 2000 mg/kg |                                                 |            |
| 2082-81-7  | 218-218-1                                                                                                                                | 1,4-butandiol dimethacrylate                    | 5 - < 50 % |
|            | oral: ATE = 500 mg/kg                                                                                                                    |                                                 |            |
| 75980-60-8 | 278-355-8                                                                                                                                | diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide | 1 - < 5 %  |
|            | dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg                                                                                   |                                                 |            |

**SECTION 4: First aid measures****4.1. Description of first aid measures****After inhalation**

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**M-Print Splint**

Revision date: 18.09.2025

Product code: SplintClassic

Page 3 of 11

**After contact with skin**

IF ON SKIN: Wash with plenty of soap and water. Take off immediately all contaminated clothing and wash it before reuse.

**After contact with eyes**

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

**After ingestion**

Rinse mouth immediately and drink 1 glass of water.

**4.2. Most important symptoms and effects, both acute and delayed**

No information available.

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

**5.3. Advice for firefighters**

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

**Additional information**

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

**6.3. Methods and material for containment and cleaning up****Other information**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

**6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Advice on safe handling**

No special measures are necessary.

**Advice on protection against fire and explosion**

No special fire protection measures are necessary.

**Advice on general occupational hygiene**

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### M-Print Splint

Revision date: 18.09.2025

Product code: SplintClassic

Page 4 of 11

drink.

#### Further information on handling

Sensitivity to light (photosensitive).

#### 7.2. Conditions for safe storage, including any incompatibilities

##### Requirements for storage rooms and vessels

Sensitivity to light (photosensitive). Keep container tightly closed. none UV-radiation/sunlight. Can polymerise exothermically if heated, exposed to air, sunlight or by addition of free radical initiators. Avoid high temperatures or direct sunlight.

##### Hints on joint storage

No special measures are necessary.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### 8.2. Exposure controls



#### Individual protection measures, such as personal protective equipment

##### Eye/face protection

Wear eye/face protection.

##### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

##### Skin protection

Use of protective clothing.

##### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state: Liquid  
Colour:

Melting point/freezing point:

not determined

Boiling point or initial boiling point and boiling range:

> 180 °C EEC A.2

Flammability:

not applicable  
not applicable

Flash point:

> 100 °C ASTM D 7094

Decomposition temperature:

not determined

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

not determined

Vapour pressure:

0,001 hPa

(at 20 °C)

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**M-Print Splint**

Revision date: 18.09.2025

Product code: SplintClassic

Page 5 of 11

Density: 1,1 g/cm<sup>3</sup> EEC A.3**9.2. Other information****Information with regard to physical hazard classes**

Explosive properties

The product is not: Explosive.

Self-ignition temperature

Solid:

not applicable

Gas:

not applicable

Oxidizing properties

Not oxidising.

**Other safety characteristics**

Viscosity / dynamic: 850 mPa·s DIN 3219

**SECTION 10: Stability and reactivity****10.1. Reactivity**

No hazardous reaction when handled and stored according to provisions.

**10.2. Chemical stability**

The product is stable under storage at normal ambient temperatures.

**10.4. Conditions to avoid**

UV-radiation/sunlight.

**10.5. Incompatible materials**

No information available.

**10.6. Hazardous decomposition products**

No known hazardous decomposition products.

**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****ATEmix calculated**

ATE (oral) &gt; 2000 mg/kg; ATE (dermal) &gt; 2000 mg/kg; ATE (inhalation vapour) &gt; 50 mg/l; ATE (inhalation dust/mist) &gt; 5 mg/l

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**M-Print Splint**

Revision date: 18.09.2025

Product code: SplintClassic

Page 6 of 11

**Acute toxicity**

| CAS No     | Chemical name                                   |                   |             |               |          |
|------------|-------------------------------------------------|-------------------|-------------|---------------|----------|
|            | Exposure route                                  | Dose              | Species     | Source        | Method   |
| 63225-53-6 | 2-[[[(butylamino)carbonyl]oxy]ethyl acrylate    |                   |             |               |          |
|            | oral                                            | LD50 > 2000 mg/kg | Rat oral    | Lieferant     | OECD 401 |
|            | dermal                                          | LD50 > 2000 mg/kg | Rabbit oral | Lieferant     | OECD 402 |
|            | inhalation vapour                               | ATE 11 mg/l       |             |               |          |
|            | inhalation dust/mist                            | ATE 1,5 mg/l      |             |               |          |
| 2082-81-7  | 1,4-butandiol dimethacrylate                    |                   |             |               |          |
|            | oral                                            | ATE 500 mg/kg     |             |               | 0133     |
| 75980-60-8 | diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide |                   |             |               |          |
|            | oral                                            | LD50 > 5000 mg/kg | Rat         | REACH Dossier | OECD 401 |
|            | dermal                                          | LD50 > 2000 mg/kg | Rat         | REACH Dossier | OECD 402 |

**Additional information on tests**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

**SECTION 12: Ecological information****12.1. Toxicity**

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### M-Print Splint

Revision date: 18.09.2025

Product code: SplintClassic

Page 7 of 11

| CAS No     | Chemical name                                       |                  |           |                                      |                    |                                                     |
|------------|-----------------------------------------------------|------------------|-----------|--------------------------------------|--------------------|-----------------------------------------------------|
|            | Aquatic toxicity                                    | Dose             | [h]   [d] | Species                              | Source             | Method                                              |
| 63225-53-6 | 2-[[[(butylamino)carbonyl]oxy]ethyl acrylate        |                  |           |                                      |                    |                                                     |
|            | Acute fish toxicity                                 | LC50 3348 mg/l   | 96 h      | Pimephales promelas (fathead minnow) | EpiSuite QSAR tool | Quantitative structure-activity relationship (QSAR) |
|            | Acute algae toxicity                                | ErC50 0,294 mg/l |           | Pseudokirchneriella subcapitata s.   | EpiSuite QSAR tool | Quantitative structure-activity relationship (QSAR) |
|            | Acute crustacea toxicity                            | EC50 7306 mg/l   | 48 h      | Daphnia magna (Big water flea)       | EpiSuite QSAR tool | Quantitative structure-activity relationship (QSAR) |
| 2082-81-7  | 1,4-butandiol dimethacrylate                        |                  |           |                                      |                    |                                                     |
|            | Acute fish toxicity                                 | LC50 12,4 mg/l   | 96 h      | n/n                                  | REACH Dossier      | Quantitative structure-activity relationship (QSAR) |
|            | Acute algae toxicity                                | ErC50 9,79 mg/l  | 72 h      | Desmodesmus subspicatus              | REACH Dossier      | OECD 201                                            |
|            | urethane acrylate in polyether polyol tetraacrylate |                  |           |                                      |                    |                                                     |
|            | Acute fish toxicity                                 | LC50 1,76 mg/l   | 96 h      |                                      | Rahn               |                                                     |
|            | Acute algae toxicity                                | ErC50 76,3 mg/l  | 72 h      |                                      | Rahn               |                                                     |
|            | Acute crustacea toxicity                            | EC50 90,94 mg/l  | 48 h      |                                      | Rahn               |                                                     |

### 12.2. Persistence and degradability

The product has not been tested.

| CAS No     | Chemical name                                          |          |    |               |
|------------|--------------------------------------------------------|----------|----|---------------|
|            | Method                                                 | Value    | d  | Source        |
|            | Evaluation                                             |          |    |               |
| 72869-86-4 | Diurethane dimethacrylate, Mix of isomers (UDMA)       |          |    |               |
|            | OECD 301 B                                             | 22%      | 28 | ECHA          |
|            | Not readily biodegradable (according to OECD criteria) |          |    |               |
| 2082-81-7  | 1,4-butandiol dimethacrylate                           |          |    |               |
|            | OECD 310; Headspace Test and CO2                       | 24 %     | 28 | REACH Dossier |
|            | Biodegradable.                                         |          |    |               |
| 75980-60-8 | diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide        |          |    |               |
|            | OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C                | 0 - 10 % | 28 | REACH Dossier |
|            | Not readily biodegradable (according to OECD criteria) |          |    |               |

### 12.3. Bioaccumulative potential

The product has not been tested.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### M-Print Splint

Revision date: 18.09.2025

Product code: SplintClassic

Page 8 of 11

#### Partition coefficient n-octanol/water

| CAS No     | Chemical name                                   | Log Pow |
|------------|-------------------------------------------------|---------|
| 63225-53-6 | 2-[[[(butylamino)carbonyl]oxy]ethyl acrylate    | 1.82    |
| 2082-81-7  | 1,4-butanediol dimethacrylate                   | 3,1     |
| 75980-60-8 | diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide | 3,1     |

#### BCF

| CAS No     | Chemical name                                   | BCF    | Species                       | Source             |
|------------|-------------------------------------------------|--------|-------------------------------|--------------------|
| 63225-53-6 | 2-[[[(butylamino)carbonyl]oxy]ethyl acrylate    | 7,325  | n/h                           | EpiSuite QSAR tool |
| 75980-60-8 | diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide | 18 -55 | Cyprinus carpio (Common Carp) | REACH Dossier      |

#### 12.4. Mobility in soil

The product has not been tested.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The product has not been tested.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

No information available.

#### Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

##### Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

##### List of Wastes Code - residues/unused products

070208 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of plastics, synthetic rubber and man-made fibres; other still bottoms and reaction residues; hazardous waste

##### List of Wastes Code - used product

070208 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of plastics, synthetic rubber and man-made fibres; other still bottoms and reaction residues; hazardous waste

##### Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

### SECTION 14: Transport information

#### Land transport (ADR/RID)

##### 14.1. UN number or ID number:

No dangerous good in sense of this transport regulation.

##### 14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

##### 14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

##### 14.4. Packing group:

No dangerous good in sense of this transport regulation.

#### Inland waterways transport (ADN)

##### 14.1. UN number or ID number:

No dangerous good in sense of this transport regulation.

##### 14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**M-Print Splint**

Revision date: 18.09.2025

Product code: SplintClassic

Page 9 of 11

**14.3. Transport hazard class(es):**

No dangerous good in sense of this transport regulation.

**14.4. Packing group:**

No dangerous good in sense of this transport regulation.

**Marine transport (IMDG)****14.1. UN number or ID number:**

No dangerous good in sense of this transport regulation.

**14.2. UN proper shipping name:**

No dangerous good in sense of this transport regulation.

**14.3. Transport hazard class(es):**

No dangerous good in sense of this transport regulation.

**14.4. Packing group:**

No dangerous good in sense of this transport regulation.

**Air transport (ICAO-TI/IATA-DGR)****14.1. UN number or ID number:**

No dangerous good in sense of this transport regulation.

**14.2. UN proper shipping name:**

No dangerous good in sense of this transport regulation.

**14.3. Transport hazard class(es):**

No dangerous good in sense of this transport regulation.

**14.4. Packing group:**

No dangerous good in sense of this transport regulation.

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**14.6. Special precautions for user**

No information available.

**14.7. Maritime transport in bulk according to IMO instruments**

not applicable

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Authorisations (REACH, annex XIV):

Substances of very high concern, SVHC (REACH, article 59):

diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Information according to Directive

2012/18/EU (SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

**National regulatory information**

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D):

3 - highly hazardous to water

Skin resorption/Sensitization:

Causes allergic hypersensitivity reactions.

**SECTION 16: Other information****Changes**

This data sheet contains changes from the previous version in section(s): 2.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**M-Print Splint**

Revision date: 18.09.2025

Product code: SplintClassic

Page 10 of 11

**Abbreviations and acronyms**

Acute Tox: Acute toxicity  
Skin Irrit: Skin irritation  
Eye Irrit: Eye irritation  
Skin Sens: Skin sensitisation  
Repr: Reproductive toxicity  
STOT SE: Specific target organ toxicity - single exposure  
Aquatic Chronic: Chronic aquatic hazard  
ADR: Accord européen sur le transport des marchandises dangereuses par Route  
(European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service  
LC50: Lethal concentration, 50%  
LD50: Lethal dose, 50%  
CLP: Classification, labelling and Packaging  
REACH: Registration, Evaluation and Authorization of Chemicals  
GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals  
UN: United Nations  
DNEL: Derived No Effect Level  
DMEL: Derived Minimal Effect Level  
PNEC: Predicted No Effect Concentration  
ATE: Acute toxicity estimate  
LL50: Lethal loading, 50%  
EL50: Effect loading, 50%  
EC50: Effective Concentration 50%  
ErC50: Effective Concentration 50%, growth rate  
NOEC: No Observed Effect Concentration  
BCF: Bio-concentration factor  
PBT: persistent, bioaccumulative, toxic  
vPvB: very persistent, very bioaccumulative  
RID: Regulations concerning the international carriage of dangerous goods by rail  
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)  
EmS: Emergency Schedules  
MFAG: Medical First Aid Guide  
ICAO: International Civil Aviation Organization  
MARPOL: International Convention for the Prevention of Marine Pollution from Ships  
IBC: Intermediate Bulk Container  
VOC: Volatile Organic Compounds  
SVHC: Substance of Very High Concern  
For abbreviations and acronyms, see table at <http://abbrev.esdscom.eu>

**Key literature references and sources for data**

supplier (manufacturer/importer/downstream user/distributor)  
ECHA

**Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]**

| Classification          | Classification procedure |
|-------------------------|--------------------------|
| Repr. 1B; H360F         | Calculation method       |
| Skin Sens. 1; H317      | Calculation method       |
| Aquatic Chronic 3; H412 | Calculation method       |

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**M-Print Splint**

Revision date: 18.09.2025

Product code: SplintClassic

Page 11 of 11

**Relevant H and EUH statements (number and full text)**

|        |                                                               |
|--------|---------------------------------------------------------------|
| H302   | Harmful if swallowed.                                         |
| H315   | Causes skin irritation.                                       |
| H317   | May cause an allergic skin reaction.                          |
| H319   | Causes serious eye irritation.                                |
| H332   | Harmful if inhaled.                                           |
| H336   | May cause drowsiness or dizziness.                            |
| H360F  | May damage fertility.                                         |
| H360Fd | May damage fertility. Suspected of damaging the unborn child. |
| H411   | Toxic to aquatic life with long lasting effects.              |
| H412   | Harmful to aquatic life with long lasting effects.            |

**Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*