

**Safety Data Sheet**

according to UK REACH Regulation

Weropress Polymer

Revision date: 15.09.2025

Product code: D252_C34

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Weropress Polymer

Further trade names

Weropress, all colors

Product group: Endprodukt

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

The product is intended for professional use.

1.3. Details of the supplier of the safety data sheet

Company name:	Merz Dental GmbH	
Street:	Kieferweg 1	
Place:	D-24321 Luetjenburg (GERMANY)	
Telephone:	+49-(0)4381-403-0	Telefax: +49-(0)4381-403-100
E-mail:	info@merz-dental.de	
Contact person:	Dipl. Chem Dr. Thomas Panther	Telephone: +49-(0)4381-403-448
E-mail:	Thomas.Panther@merz-dental.de	
Internet:	www.merz-dental.de	
Responsible Department:	Qualitaetssicherung (Quality Assurance)	

1.4. Emergency telephone number: +49-(0)551-19240 (Giftinformationszentrum-Nord, Göttingen) 24h / 7d

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****GB CLP Regulation**

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

2.2. Label elements**SECTION 3: Composition/information on ingredients****3.2. Mixtures****Chemical characterization**

Polymer preparations and compounds

Pigments Contains less than 1 % titanium dioxide particles with an aerodynamic diameter = 10 µm.

Safety Data Sheet

according to UK REACH Regulation

Weropress Polymer

Revision date: 15.09.2025

Product code: D252_C34

Page 2 of 11

Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
94-36-0	dibenzoyl peroxide; benzoyl peroxide			< 0,5 %
	202-327-6	617-008-00-0		
	Org. Perox. B, Eye Irrit. 2, Skin Sens. 1; H241 H319 H317			
80-62-6	methyl methacrylate			< 0,2 %
	201-297-1	607-035-00-6	01-2119452498-28	
	Flam. Liq. 2, Skin Irrit. 2, Skin Sens. 1, STOT SE 3; H225 H315 H317 H335			
96-33-3	methyl acrylate; methyl propenoate			< 0,1 %
	202-500-6	607-034-00-0		
	Flam. Liq. 2, Acute Tox. 3, Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1, STOT SE 3; H225 H331 H312 H302 H315 H319 H317 H335			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
94-36-0	202-327-6	dibenzoyl peroxide; benzoyl peroxide	< 0,5 %
		inhalation: LC50 = > 24300 mg/l (dusts or mists); oral: LD50 = > 2000 mg/kg	
80-62-6	201-297-1	methyl methacrylate	< 0,2 %
		inhalation: LC50 = 29,8 mg/l (vapours); dermal: LD50 = > 5000 mg/kg; oral: LD50 = 7872 mg/kg	
96-33-3	202-500-6	methyl acrylate; methyl propenoate	< 0,1 %
		inhalation: ATE 3 mg/l (vapours); dermal: ATE 1100 mg/kg; oral: ATE 500 mg/kg	

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Change contaminated clothing.

After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Medical treatment necessary. In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink 1 glass of water.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

**Safety Data Sheet**

according to UK REACH Regulation

Weropress Polymer

Revision date: 15.09.2025

Product code: D252_C34

Page 3 of 11

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Extinguishing powder, Carbon dioxide (CO₂), Water spray jet, Foam.

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Non-flammable. This material is combustible, but will not ignite readily. In case of fire may be liberated: Carbon dioxide (CO₂), Carbon monoxide

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Do not breathe dust. Wear breathing apparatus if exposed to vapours/dusts/aerosols. Wear personal protection equipment. Special danger of slipping by leaking/spilling product.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Clean contaminated articles and floor according to the environmental legislation.

6.3. Methods and material for containment and cleaning up**For cleaning up**

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

Wear personal protection equipment.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep container tightly closed. Keep the packing dry and well sealed to prevent contamination and absorption of humidity.

Hints on joint storage

To follow: Storage class

Further information on storage conditions

Protect from direct sunlight.

7.3. Specific end use(s)

Material for the manufacture of dental medical devices.

Safety Data Sheet

according to UK REACH Regulation

Weropress Polymer

Revision date: 15.09.2025

Product code: D252_C34

Page 4 of 11

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
94-36-0	Dibenzoyl peroxide	-	5		TWA (8 h)	WEL
96-33-3	Methyl acrylate	5	18		TWA (8 h)	WEL
		10	36		STEL (15 min)	WEL
80-62-6	Methyl methacrylate	50	208		TWA (8 h)	WEL
		100	416		STEL (15 min)	WEL
13463-67-7	Titanium dioxide, respirable	-	4		TWA (8 h)	WEL
13463-67-7	Titanium dioxide, total inhalable	-	10		TWA (8 h)	WEL

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
94-36-0	dibenzoyl peroxide; benzoyl peroxide			
Consumer DNEL, long-term		inhalation	systemic	2,9 mg/m³
Worker DNEL, long-term		dermal	systemic	6,6 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	1,65 mg/kg bw/day
Worker DNEL, long-term		inhalation	systemic	11,75 mg/m³
Consumer DNEL, long-term		dermal	systemic	3,3 mg/kg bw/day
80-62-6	methyl methacrylate			
Worker DNEL, long-term		inhalation	local	210 mg/m³
Worker DNEL, long-term		dermal	systemic	13,67 mg/kg bw/day

PNEC values

CAS No	Substance	
Environmental compartment		Value
94-36-0	dibenzoyl peroxide; benzoyl peroxide	
Freshwater		0,000602 mg/l
Marine water		0,000602 mg/l
Freshwater sediment		0,338 mg/kg
Micro-organisms in sewage treatment plants (STP)		0,35 mg/l
Soil		0,0758 mg/kg
80-62-6	methyl methacrylate	
Freshwater		< 0,94 mg/l
Marine water		< 0,94 mg/l
Soil		-----
Air		-----

8.2. Exposure controls

Appropriate engineering controls

Provide adequate ventilation as well as local exhaust at critical locations. Use an "other exhaust ventilation

**Safety Data Sheet**

according to UK REACH Regulation

Weropress Polymer

Revision date: 15.09.2025

Product code: D252_C34

Page 5 of 11

system" according to 2001/59/EC (Annex 7A).. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

Individual protection measures, such as personal protective equipment**Eye/face protection**

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state:	Powder	
Colour:	various	
Melting point/freezing point:		> 80 °C
Water solubility:		poorly soluble
Density:		ca. 1,20 g/cm ³

9.2. Other information**Information with regard to physical hazard classes**

Sustained combustibility:	No sustained combustibility
Oxidizing properties	
This material is combustible, but will not ignite readily.	

SECTION 10: Stability and reactivity**10.1. Reactivity**

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Decomposition takes place from temperatures above: 250 °C

10.5. Incompatible materials

Oxidising agent

10.6. Hazardous decomposition products

Thermal decomposition can lead to the escape of irritating gases and vapours.
Hazardous decomposition products: SECTION 8: Exposure controls/personal protection

SECTION 11: Toxicological information**11.1. Information on hazard classes as defined in GB CLP Regulation****Acute toxicity**

Based on available data, the classification criteria are not met.

Safety Data Sheet

according to UK REACH Regulation

Weropress Polymer

Revision date: 15.09.2025

Product code: D252_C34

Page 6 of 11

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
94-36-0	dibenzoyl peroxide; benzoyl peroxide				
	oral	LD50 > 2000 mg/kg	Mouse	Nier, Korea 2001	OECD 401
	inhalation dust/mist	LC50 > 24300 mg/l	Rat		
80-62-6	methyl methacrylate				
	oral	LD50 7872 mg/kg	Rat	RTECS	
	dermal	LD50 > 5000 mg/kg	Rabbit	REACH Dossier	OECD 402
	inhalation (4 h) vapour	LC50 29,8 mg/l	Rat	REACH Dossier	standard acute metho
96-33-3	methyl acrylate; methyl propenoate				
	oral	ATE 500 mg/kg			
	dermal	ATE 1100 mg/kg			
	inhalation vapour	ATE 3 mg/l			

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Similar to related material, not skin sensitizing. Contains: dibenzoyl peroxide, methyl methacrylate. There is no danger as long as the substances are immobilized within the polymer matrix. Only through the Destruction of the polymer matrix, e.g. by suitable solvents, can cause the sensitizing components be mobilized again. In people who have already been sensitized, the remobilized components can lead to allergic reactions.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Further information

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

Safety Data Sheet

according to UK REACH Regulation

Weropress Polymer

Revision date: 15.09.2025

Product code: D252_C34

Page 7 of 11

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
94-36-0	dibenzoyl peroxide; benzoyl peroxide					
	Acute fish toxicity	LC50 mg/l	0,24	96 h	Oryzias latipes (Ricefish)	Nier, Korea 2002c OECD 203
	Acute algae toxicity	ErC50 mg/l	0,44	72 h	Selenastrum capricornutum	Nier, Korea 2002f OECD 201
	Acute crustacea toxicity	EC50 mg/l	0,07	48 h	Daphnia pulex (water flea)	Nier, Korea 2002g OECD 202
	Algae toxicity	NOEC mg/l	0,02	3 d	Pseudokirchneriella subcapitata	REACH Dossier EU Method C.3
	Crustacea toxicity	NOEC mg/l	0,001	21 d	Daphnia pulex (water flea)	REACH Dossier OECD 211
	Acute bacteria toxicity	EC50 mg/l (0,30 g O2/g)	0,35	0,5 h	activated sludge	REACH Dossier OECD 209
80-62-6	methyl methacrylate					
	Acute fish toxicity	LC50	191 mg/l	96 h	Lepomis macrochirus (Bluegill)	Merck
	Acute algae toxicity	ErC50 mg/l	> 110	72 h	Pseudokirchneriella subcapitata	REACH Dossier OECD 201
	Acute crustacea toxicity	EC50	69 mg/l	48 h	Daphnia magna (Big water flea)	REACH Dossier EPA OTS 797.1300

12.2. Persistence and degradability

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
94-36-0	dibenzoyl peroxide; benzoyl peroxide			
	OECD 301D/ EEC 92/69/V, C.4-E	71 %	28	REACH Dossier
	Readily biodegradable (according to OECD criteria).			
80-62-6	methyl methacrylate			
	OECD 301C/ ISO 9408/ EEC 92/69/V, C.4-F	94 %	14	Publication
	Readily biodegradable (according to OECD criteria).			
	EPA, title 40 Code of Federal Regulations Part 160	> 99 %	2	40 CFR 160
	Readily biodegradable (according to OECD criteria).			

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
94-36-0	dibenzoyl peroxide; benzoyl peroxide	3,2
80-62-6	methyl methacrylate	1,38
96-33-3	methyl acrylate; methyl propenoate	0,8

BCF

CAS No	Chemical name	BCF	Species	Source
94-36-0	dibenzoyl peroxide; benzoyl peroxide	47,4	n/n	EpiSuite QSAR tool
80-62-6	methyl methacrylate	2,97 - 3,5	Pisces	SDB HIT-ICE, B

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

**Safety Data Sheet**

according to UK REACH Regulation

Weropress Polymer

Revision date: 15.09.2025

Product code: D252_C34

Page 8 of 11

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The product has not been tested.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****List of Wastes Code - residues/unused products**

070213 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of plastics, synthetic rubber and man-made fibres; waste plastic

List of Wastes Code - used product

070213 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of plastics, synthetic rubber and man-made fibres; waste plastic

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information**Land transport (ADR/RID)**

14.1. UN number or ID number: Not restricted

14.2. UN proper shipping name: Not restricted

14.3. Transport hazard class(es): Not restricted

14.4. Packing group: Not restricted

Inland waterways transport (ADN)

14.1. UN number or ID number: Not restricted

14.2. UN proper shipping name: Not restricted

14.3. Transport hazard class(es): Not restricted

14.4. Packing group: Not restricted

Marine transport (IMDG)

14.1. UN number or ID number: Not restricted

14.2. UN proper shipping name: Not restricted

14.3. Transport hazard class(es): Not restricted

14.4. Packing group: Not restricted

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: Not restricted

14.2. UN proper shipping name: Not restricted

14.3. Transport hazard class(es): Not restricted

14.4. Packing group: Not restricted

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**



Safety Data Sheet

according to UK REACH Regulation

Weropress Polymer

Revision date: 15.09.2025

Product code: D252_C34

Page 9 of 11

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 75

National regulatory information

Water hazard class (D):

2 - obviously hazardous to water

Skin resorption/Sensitization:

Causes allergic hypersensitivity reactions.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s):

1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16.

Safety Data Sheet

according to UK REACH Regulation

Weropress Polymer

Revision date: 15.09.2025

Product code: D252_C34

Page 10 of 11

Abbreviations and acronyms

Org. Perox
Flam. Liq: Flammable liquids
Acute Tox: Acute toxicity
Skin Irrit: Skin irritation
Eye Irrit: Eye irritation
Skin Sens: Skin sensitisation
STOT SE: Specific target organ toxicity - single exposure
CLP: Classification, labelling and Packaging
REACH: Registration, Evaluation and Authorization of Chemicals
GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals
UN: United Nations
CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration
ATE: Acute toxicity estimate
LC50: Lethal concentration, 50%
LD50: Lethal dose, 50%
LL50: Lethal loading, 50%
EL50: Effect loading, 50%
EC50: Effective Concentration 50%
ErC50: Effective Concentration 50%, growth rate
NOEC: No Observed Effect Concentration
BCF: Bio-concentration factor
PBT: persistent, bioaccumulative, toxic
vPvB: very persistent, very bioaccumulative
ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)
RID: Regulations concerning the international carriage of dangerous goods by rail
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)
IMDG: International Maritime Code for Dangerous Goods
EmS: Emergency Schedules
MFAG: Medical First Aid Guide
IATA: International Air Transport Association
ICAO: International Civil Aviation Organization
MARPOL: International Convention for the Prevention of Marine Pollution from Ships
IBC: Intermediate Bulk Container
VOC: Volatile Organic Compounds
SVHC: Substance of Very High Concern
For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Key literature references and sources for data

EU) 2020/878
OECD - SIDS
ECHA - REACH Dossier

Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H241	Heating may cause a fire or explosion.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.

**Safety Data Sheet**

according to UK REACH Regulation

Weropress Polymer

Revision date: 15.09.2025

Product code: D252_C34

Page 11 of 11

H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)